

Xeo series



Cut the cables – not the sound quality. Xeo is the world's first high-end wireless speaker system, making an amplifier and speaker cables redundant. It combines wireless music playback with Dynaudio's legendary authentic sound quality.

DYNAUDIO



Xeo 6



Xeo 4



Xeo 2

Xeo series

Data	Xeo 6	Xeo 4	Xeo 2
Analog inputs	-	-	Mini-Jack, RCA stereo
Digital inputs	-	-	Toslink
Wireless	16-bit/48kHz	16-bit/48kHz	24-bit/96kHz
Frequency response (+/- 3dB)	31Hz – 23kHz	45Hz – 23kHz	40Hz – 24kHz
Box principle	Bass reflex rear ported	Bass reflex rear ported	Bass reflex
Crossover	2½-way DSP-based	2-way DSP-based	2-way DSP-based
Crossover frequencies	(600Hz), 2800Hz	3000Hz	3100Hz
Crossover slope	2nd order	2nd order	4th order
Woofer	2 x 14cm MSP	14cm MSP	14cm MSP
Midrange	-	-	-
Tweeter	28mm soft dome	28mm soft dome	28mm soft dome
Amplifier power	3 x 50W	2 x 50W	2 x 65W
AC power input	100-240V, 50/60Hz	100-240V, 50/60Hz	100-240V, 50/60Hz
Power consumption (standby)	0.35W	0.34W (network active)	<0.5W
Power consumption (max)	77W	38W	100W
Weight	14.7kg / 32lb	6.4kg / 14lb	4kg / 8.8lb
Dimensions (W x H x D)	170 x 854 x 246mm 6.7 x 33.6 x 9.7in	170 x 282 x 246mm 6.7 x 11.1 x 9.7in	173 x 255 x 154mm 6.8 x 10 x 6.1in
Dimensions with feet/grille (W x H x D)	170 x 854 x 262mm 6.7 x 33.6 x 10.3in	170 x 282 x 262mm 6.7 x 11.1 x 10.3in	173 x 255 x 164mm 6.8 x 10 x 6.5in

Finishes/grilles: Black Satin/Black and White Satin/Grey



Xeo

The wireless revolution

Xeo
**Designed,
engineered
and assembled
in Denmark**

Learn more, get the latest tips and tricks and read our reviews on
[dynaudio.com](https://www.dynaudio.com) and facebook.com/dynaudiogroup

DYNAUDIO

Dynaudio A/S
Sverigesvej 15
8660 Skanderborg
Denmark

www.dynaudio.com

Product Series Insert, Xeo
Item no. 45538211A

All text and image copyrights reserved
Subject to change without notice