

Contour series



With the all-new Contour, we applied all our experience, all our expertise – and all our passion – to looking at what made the original so good... and then gave our engineers free rein to make it even better.

DYNAUDIO



Contour 60



Contour 30



Contour 20



Contour 25C

Contour series

Data	Contour 60	Contour 30	Contour 20	Contour 25C
Sensitivity	88dB (2.83V / 1m)	87dB (2.83V / 1m)	86dB (2.83V / 1m)	87dB (2.83V / 1m)
IEC power handling	390W	300W	180W	300W
Impedance	4Ω	4Ω	4Ω	4Ω
Frequency response (+/- 3dB)	28Hz – 23kHz	32Hz – 23kHz	39Hz – 23kHz	35Hz – 23kHz
Box principle	Bass reflex rear ported	Bass reflex rear ported	Bass reflex rear ported	Bass reflex rear ported
Crossover	3-way	2½-way	2-way	2½-way
Crossover frequency	220Hz / 4500Hz	(300Hz) / 2200Hz	2200Hz	(300Hz) / 2200Hz
Crossover topology	2nd order	2nd order	2nd order	2nd order
Woofer	2 x 24cm MSP cone	2 x 18cm MSP cone	18cm MSP cone	2 x 18cm MSP cone
Midrange	15cm MSP cone	-	-	-
Tweeter	28mm Esotar ²	28mm Esotar ²	28mm Esotar ²	28mm Esotar ²
Weight	54.3kg / 119.7lb	34.4kg / 76.0lb	15.5kg / 34.2lb	23.3kg / 51.4lb
Dimensions (W x H x D mm)	255 x 1330 x 420mm 10 x 52.4 x 16.5in	215 x 1140 x 360 mm 8.5 x 44.9 x 14.2in	215 x 440 x 360 mm 8.5 x 17.3 x 14.2in	750 x 215 x 396 mm 29.5 x 8.5 x 15.6in
Dimensions with feet/grille (W x H x D)	295 x 1355 x 460mm 11.6 x 53.3 x 18.1in	256 x 1170 x 396mm 10.1 x 46.1 x 15.6in	215 x 440 x 396mm 8.5 x 17.3 x 15.6in	750 x 250 x 396mm 29.5 x 9.8 x 15.6in

Finishes/grilles: Black Piano Lacquer/Black, Grey Oak High Gloss/Black, Rosewood Dark High Gloss/Black, Walnut Light Satin/Black, White Piano Lacquer/Grey and Ivory Oak Satin/Grey



Contour
Effortless simplicity

Contour
Designed,
engineered
and assembled
in Denmark

Learn more, get the latest tips and tricks and read our reviews on
[dynaudio.com](https://www.dynaudio.com) and facebook.com/dynaudiogroup

DYNAUDIO

Dynaudio A/S
Sverigesvej 15
8660 Skanderborg
Denmark

www.dynaudio.com

Product Series Insert, Contour,
Item no. 45538204A

All text and image copyrights reserved
Subject to change without notice